

Трёхфазные асинхронные двигатели УКК

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +375-257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: agy@nt-rt.ru || сайт: <https://laeg.nt-rt.ru>

YKK series high voltage three-phase asynchronous motor

This series motors with box type steel structure, can be observed its interior after removing the cooler or protective cover, and easy to be installed and maintained; The cage structure rotor made by once forming process or copper strip rotor made by mid-frequency welding process, improve the reliability of the motor; Insulation class F stator made by VPI process, ensure the reliability of insulation, moisture-proof and shock resistance; Temperature sensor for stator and bearing, non-stop oil filling pipe and oil exit pipe, improve the protection ability and operation efficiency of the motors.



YKK Series High Voltage Three-Phase Asynchronous Motors Technical Data (6kV50Hz IC611)

Type	Rated power kW	Rated current A	Rated speed r/min	Efficiency %	Power factor CosΦ	Stall Current	Stall torque	Max torque	Weight (kg)
						Current rating	Rated torque	Rated torque	
YKK315-2	200	24.7	2976	91.6	0.85	7.0	0.6	2.0	2440
YKK315-2	220	27.2	2978	91.7	0.85	7.0	0.6	2.0	2510
YKK315-2	250	30.8	2976	91.8	0.85	7.0	0.6	2.0	2580
YKK315-2	280	34.5	2975	92.0	0.85	7.0	0.6	2.0	2650
YKK355-2	315	38.1	2978	92.4	0.86	7.0	0.6	2.0	2740
YKK355-2	355	42.8	2978	92.7	0.86	7.0	0.6	2.0	2790
YKK355-2	400	48.1	2978	93.0	0.86	7.0	0.6	2.0	2850
YKK355-2	450	54.0	2978	93.3	0.86	7.0	0.6	2.0	2905
YKK400-2	500	59.1	2981	93.6	0.87	7.0	0.6	2.0	3445
YKK400-2	560	66.0	2980	93.8	0.87	7.0	0.6	2.0	3580
YKK400-2	630	74.1	2981	94.0	0.87	7.0	0.6	2.0	3640
YKK400-2	710	83.5	2981	94.1	0.87	7.0	0.6	2.0	3790
YKK450-2	800	93.8	2984	94.3	0.87	7.0	0.6	2.0	4770
YKK450-2	900	105.3	2984	94.5	0.87	7.0	0.6	2.0	4875
YKK450-2	1000	116.9	2983	94.6	0.87	7.0	0.6	2.0	5015
YKK450-2	1120	130.8	2983	94.7	0.87	7.0	0.6	2.0	5170
YKK500-2	1250	144.0	2986	94.9	0.88	7.0	0.6	2.0	5940
YKK500-2	1400	161.1	2985	95.0	0.88	7.0	0.6	2.0	6145
YKK500-2	1600	184.0	2985	95.1	0.88	7.0	0.6	2.0	6365
YKK500-2	1800	206.7	2985	95.2	0.88	7.0	0.6	2.0	6565
YKK560-2	2000	229.2	2986	95.4	0.88	7.0	0.6	2.0	8760
YKK560-2	2240	256.5	2987	95.5	0.88	7.0	0.6	2.0	8960
YKK560-2	2500	285.9	2985	95.6	0.88	7.0	0.6	2.0	9400
YKK560-2	2800	320.3	2986	95.6	0.88	7.0	0.6	2.0	9570
YKK630-2	3150	355.9	2989	95.7	0.89	7.0	0.6	2.0	10710
YKK630-2	3550	400.6	2988	95.8	0.89	7.0	0.6	2.0	11270

YKK630-2	4000	451.0	2988	95.9	0.8g	7.0	0.6	2.0	11610
YKK630-2	4500	506.8	2988	96.0	0.89	7.0	0.6	2.0	12010
YKK315-4	200	24.6	1483	92.1	0.85	6.5	0.7	2.0	1975
YKK315-4	220	27.0	1484	92.2	0.85	6.5	0.7	2.0	2020
YKK315-4	250	30.7	1483	92.3	0.85	6.5	0.7	2.0	2170
YKK315-4	280	34.3	1484	92.4	0.85	6.5	0.7	2.0	2250
YKK355-4	315	38.5	1485	92.6	0.85	6.5	0.7	2.0	2580
YKK355-4	355	43.3	1485	92.8	0.85	6.5	0.7	2.0	2670
YKK355-4	400	48.7	1485	93.0	0.85	6.5	0.7	2.0	2790
YKK355-4	450	54.7	1485	93.2	0.85	6.5	0.7	2.0	2890
YKK400-4	500	59.9	1487	93.4	0.86	6.5	0.7	2.0	3270
YKK400-4	560	66.9	1487	93.6	0.86	6.5	0.7	2.0	3355
YKK400-4	630	75.1	1487	93.8	0.86	6.5	0.7	2.0	3540
YKK400-4	710	84.5	1486	94.0	0.86	6.5	0.7	2.0	3630
YKK450-4	800	93.8	1490	94.3	0.87	6.5	0.7	2.0	4215
YKK450-4	900	105.4	1490	94.4	0.87	6.5	0.7	2.0	4305
YKK450-4	1000	117.0	1489	94.5	0.87	6.5	0.7	2.0	4545
YKK450-4	1120	130.9	1489	94.6	0.87	6.5	0.7	2.0	4715
YKK500-4	1250	145.8	1490	94.8	0.87	6.5	0.7	2.0	5980
YKK500-4	1400	163.2	1490	94.9	0.87	6.5	0.7	2.0	6105
YKK500-4	1600	186.3	1490	95.0	0.87	6.5	0.7	2.0	6430
YKK500-4	1800	209.3	1490	95.1	0.87	6.5	0.7	2.0	6640
YKK560-4	2000	229.5	1492	95.3	0.88	6.5	0.7	2.0	8410
YKK560-4	2240	256.7	1491	95.4	0.88	6.5	0.7	2.0	8695
YKK560-4	2500	286.2	1491	95.5	0.88	6.5	0.7	2.0	9220
YKK560-4	2800	320.3	1490	95.6	0.88	6.5	0.7	2.0	9515
YKK630-4	3150	359.5	1493	95.8	0.88	6.5	0.7	2.0	11885
YKK630-4	3550	405.2	1492	95.8	0.88	6.5	0.7	2.0	12410
YKK630-4	4000	456.1	1492	95.9	0.88	6.5	0.7	2.0	13125
YKK630-4	4500	513.1	1492	95.9	0.88	6.5	0.7	2.0	13615
YKK315-6	160	20.8	986	91.2	0.81	6.0	0.7	2.0	1975
YKK315-6	185	24.0	987	91.5	0.81	6.0	0.7	2.0	2100
YKK315-6	200	25.9	986	91.8	0.81	6.0	0.7	2.0	2165
YKK315-6	220	28.4	986	92.0	0.81	6.0	0.7	2.0	2235
YKK355-6	250	32.2	989	92.2	0.81	6.0	0.7	2.0	2640
YKK355-6	280	36.0	988	92.5	0.81	6.0	0.7	2.0	2700
YKK355-6	315	40.3	988	92.8	0.81	6.0	0.7	2.0	2800
YKK355-6	355	45.3	987	93.0	0.81	6.0	0.7	2.0	2850
YKK400-6	400	50.4	988	93.1	0.82	6.0	0.7	2.0	3390
YKK400-6	450	56.5	989	93.4	0.82	6.0	0.7	2.0	3490
YKK400-6	500	62.6	989	93.7	0.82	6.0	0.7	2.0	3600
YKK400-6	560	70.1	989	93.8	0.82	6.0	0.7	2.0	3695
YKK450-6	630	76.9	991	93.9	0.84	6.0	0.7	2.0	4210
YKK450-6	710	86.3	991	94.2	0.84	6.0	0.7	2.0	4350
YKK450-6	800	97.1	991	94.4	0.84	6.0	0.7	2.0	4560
YKK450-6	900	109.1	991	94.5	0.84	6.0	0.7	2.0	4760
YKK500-6	1000	121.1	992	94.6	0.84	6.0	0.7	2.0	5740
YKK500-6	1120	135.5	992	94.7	0.84	6.0	0.7	2.0	5940
YKK500-6	1250	150.9	991	94.9	0.84	6.0	0.7	2.0	6355
YKK500-6	1400	168.8	991	95.0	0.84	6.0	0.7	2.0	6555
YKK560-6	1600	188.2	993	95.1	0.86	6.5	0.7	2.0	8490
YKK560-6	1800	211.6	993	95.2	0.86	6.5	0.7	2.0	8750
YKK560-6	2000	234.6	993	95.4	0.86	6.5	0.7	2.0	9235
YKK560-6	2240	262.4	993	95.5	0.86	6.5	0.7	2.0	9475

YKK630-6	2500	292.9	994	95.5	0.86	6.5	0.7	2.0	11795
YKK630-6	2800	327.7	994	95.6	0.86	6.5	0.7	2.0	12260
YKK630-6	3150	368.3	994	95.7	0.86	6.5	0.7	2.0	12940
YKK630-6	3550	414.6	994	95.8	0.86	6.5	0.7	2.0	13385
YKK355-8	200	28.3	740	91.9	0.74	5.5	0.8	2.0	2720
YKK355-8	220	31.1	740	92.1	0.74	5.5	0.8	2.0	2770
YKK355-8	250	34.8	739	92.2	0.75	5.5	0.8	2.0	2910
YKK355-8	280	38.4	739	92.4	0.76	5.5	0.8	2.0	3010
YKK400-8	315	40.9	740	92.7	0.80	5.5	0.8	2.0	3330
YKK400-8	355	46.0	740	92.8	0.80	5.5	0.8	2.0	3440
YKK400-8	400	51.7	740	93.0	0.80	5.5	0.8	2.0	3550
YKK400-8	450	58.1	740	93.1	0.80	5.5	0.8	2.0	3665
YKK450-8	500	64.3	743	93.6	0.80	5.5	0.8	2.0	4310
YKK450-8	560	71.8	742	93.8	0.80	5.5	0.8	2.0	4420
YKK450-8	630	80.7	743	93.9	0.80	5.5	0.8	2.0	4660
YKK450-8	710	90.9	742	94.0	0.80	5.5	0.8	2.0	4870
YKK500-8	800	100.9	743	94.2	0.81	6.0	0.8	2.0	5775
YKK500-8	900	113.4	743	94.3	0.81	6.0	0.8	2.0	5960
YKK500-8	1000	125.8	743	94.4	0.81	6.0	0.8	2.0	6255
YKK500-8	1120	140.8	743	94.5	0.81	6.0	0.8	2.0	6520
YKK560-8	1250	154.9	743	94.7	0.82	6.0	0.8	2.0	8210
YKK560-8	1400	173.3	743	94.8	0.82	6.0	0.8	2.0	8530
YKK560-8	1600	197.8	743	94.9	0.82	6.0	0.8	2.0	9160
YKK560-8	1800	222.3	744	95.0	0.82	6.0	0.8	2.0	9370
YKK630-8	2000	243.8	744	95.1	0.83	6.0	0.8	2.0	11105
YKK630-8	2240	272.8	745	95.2	0.83	6.0	0.8	2.0	12050
YKK630-8	2500	304.1	744	95.3	0.83	6.0	0.8	2.0	12875
YKK630-8	2800	340.3	744	95.4	0.83	6.0	0.8	2.0	13335
YKK400-10	250	34.6	591	91.5	0.76	5.5	0.8	2.0	3405
YKK400-10	280	38.7	591	91.7	0.76	5.5	0.8	2.0	3465
YKK400-10	315	43.3	591	92.1	0.76	5.5	0.8	2.0	3585
YKK400-10	355	48.7	592	92.3	0.76	5.5	0.8	2.0	3705
YKK450-10	400	54.7	594	92.6	0.76	5.5	0.8	2.0	4345
YKK450-10	450	61.5	593	92.7	0.76	5.5	0.8	2.0	4450
YKK450-10	500	68.1	593	93.0	0.76	5.5	0.8	2.0	4655
YKK450-10	560	76.2	593	93.1	0.76	5.5	0.8	2.0	4860
YKK500-10	630	83.4	592	93.2	0.78	5.5	0.7	1.8	5720
YKK500-10	710	93.8	593	93.4	0.78	5.5	0.7	1.8	5900
YKK500-10	800	105.3	593	93.7	0.78	5.5	0.7	1.8	6170
YKK500-10	900	118.4	593	93.8	0.78	5.5	0.7	1.8	6440
YKK560-10	1000	128.1	593	93.9	0.80	5.5	0.7	1.8	8360
YKK560-10	1120	143.2	593	94.1	0.80	5.5	0.7	1.8	8600
YKK560-10	1250	159.3	593	94.4	0.80	5.5	0.7	1.8	9070
YKK560-10	1400	178.2	594	94.5	0.80	5.5	0.7	1.8	9285
YKK630-10	1600	200.9	594	94.6	0.81	5.5	0.7	1.8	11180
YKK630-10	1800	225.8	594	94.7	0.81	5.5	0.7	1.8	12165
YKK630-10	2000	250.6	594	94.8	0.81	5.5	0.7	1.8	12870
YKK630-10	2240	280.4	594	94.9	0.81	5.5	0.7	1.8	13455
YKK450-12	315	45.7	493	92.1	0.72	5.5	0.7	1.8	4515
YKK450-12	355	51.4	493	92.3	0.72	5.5	0.7	1.8	4620
YKK450-12	400	57.7	493	92.6	0.72	5.5	0.7	1.8	4770
YKK450-12	450	64.9	492	92.7	0.72	5.5	0.7	1.8	4870
YKK500-12	500	70.8	493	93.1	0.73	5.5	0.7	1.8	5755
YKK500-12	560	79.2	494	93.2	0.73	5.5	0.7	1.8	5920

YKK500-12	630	89.0	494	93.3	0.73	5.5	0.7	1.8	6205
YKK500-12	710	100.2	493	93.4	0.73	5.5	0.7	1.8	6475
YKK560-12	800	108.1	494	93.7	0.76	5.5	0.7	1.8	8415
YKK560-12	900	121.5	494	93.8	0.76	5.5	0.7	1.8	8795
YKK560-12	1000	134.8	494	93.9	0.76	5.5	0.7	1.8	9260
YKK560-12	1120	150.9	494	94.0	0.76	5.5	0.7	1.8	9490
YKK630-12	1250	168.2	495	94.1	0.76	5.5	0.7	1.8	11060
YKK630-12	1400	188.2	495	94.2	0.76	5.5	0.7	1.8	12055
YKK630-12	1600	214.8	495	94.3	0.76	5.5	0.7	1.8	12745
YKK630-12	1800	241.4	495	94.4	0.76	5.5	0.7	1.8	13185

YKK Series High Voltage Three-Phase Asynchronous Motors Technical Data (10kV50Hz IC611)

Type	Rated power kW	Rated current A	Rated speed r/min	Efficiency %	Power factor CosΦ	Stall Current	Stall torque	Max torque	Weight kg
						Current rating	Rated torque	Rated torque	
YKK355-2	250	18.3	2978	91.8	0.86	7.0	0.6	2.0	2720
YKK355-2	280	20.4	2978	92.1	0.86	7.0	0.6	2.0	2770
YKK355-2	315	22.9	2978	92.4	0.86	7.0	0.6	2.0	2820
YKK355-2	355	25.7	2978	92.8	0.86	7.0	0.6	2.0	2870
YKK400-2	400	28.8	2981	93.1	0.86	7.0	0.6	2.0	3410
YKK400-2	450	32.4	2980	93.3	0.86	7.0	0.6	2.0	3540
YKK400-2	500	35.9	2982	93.4	0.86	7.0	0.6	2.0	3600
YKK400-2	560	40.2	2983	93.6	0.86	7.0	0.6	2.0	3730
YKK450-2	630	44.6	2985	93.7	0.87	7.0	0.6	2.0	4700
YKK450-2	710	50.2	2985	93.8	0.87	7.0	0.6	2.0	4800
YKK450-2	800	56.5	2985	94.0	0.87	7.0	0.6	2.0	4930
YKK450-2	900	63.5	2985	94.1	0.87	7.0	0.6	2.0	5060
YKK500-2	1000	70.4	2985	94.2	0.87	7.0	0.6	2.0	5850
YKK500-2	1120	78.7	2985	94.4	0.87	7.0	0.6	2.0	6050
YKK500-2	1250	87.7	2985	94.6	0.87	7.0	0.6	2.0	6250
YKK500-2	1400	98.0	2986	94.8	0.87	7.0	0.6	2.0	6450
YKK560-2	1600	110.6	2988	94.9	0.88	7.0	0.6	2.0	8600
YKK560-2	1800	124.3	2988	95.0	0.88	7.0	0.6	2.0	8800
YKK560-2	2000	137.8	2987	95.2	0.88	7.0	0.6	2.0	9200
YKK560-2	2240	154.0	2987	95.4	0.88	7.0	0.6	2.0	9400
YKK630-2	2500	170.0	2989	95.4	0.89	7.0	0.6	2.0	10300
YKK630-2	2800	190.2	2989	95.5	0.89	7.0	0.6	2.0	10860
YKK630-2	3150	213.7	2989	95.6	0.89	7.0	0.6	2.0	11400
YKK630-2	3550	240.6	2989	95.7	0.89	7.0	0.6	2.0	11790
YKK355-4	250	19.0	1487	91.6	0.83	7.0	0.7	2.0	2550
YKK355-4	280	21.2	1487	91.8	0.83	7.0	0.7	2.0	2600
YKK355-4	315	23.5	1486	92.1	0.84	7.0	0.7	2.0	2750
YKK355-4	355	26.4	1486	92.3	0.84	7.0	0.7	2.0	2850
YKK400-4	400	29.7	1489	92.5	0.84	7.0	0.7	2.0	3230
YKK400-4	450	33.3	1488	92.9	0.84	7.0	0.7	2.0	3310
YKK400-4	500	36.5	1488	93.0	0.85	7.0	0.7	2.0	3500
YKK400-4	560	40.8	1488	93.3	0.85	7.0	0.7	2.0	3570
YKK450-4	630	45.2	1490	93.5	0.86	7.0	0.7	2.0	4140
YKK450-4	710	50.7	1490	94.1	0.86	7.0	0.7	2.0	4220
YKK450-4	800	57.0	1490	94.3	0.86	7.0	0.7	2.0	4450
YKK450-4	900	64.0	1490	94.4	0.86	7.0	0.7	2.0	4610
YKK500-4	1000	70.2	1490	94.5	0.87	7.0	0.7	2.0	5850
YKK500-4	1120	78.6	1490	94.6	0.87	7.0	0.7	2.0	6020
YKK500-4	1250	87.6	1490	94.7	0.87	7.0	0.7	2.0	6310
YKK500-4	1400	97.8	1490	95.0	0.87	7.0	0.7	2.0	6530

YKK560-4	1600	110.4	1492	95.1	0.88	7.0	0.7	2.0	8260
YKK560-4	1800	124.0	1491	95.2	0.88	7.0	0.7	2.0	8550
YKK560-4	2000	137.5	1491	95.4	0.88	7.0	0.7	2.0	9060
YKK560-4	2240	153.9	1491	95.5	0.88	7.0	0.7	2.0	9330
YKK630-4	2500	171.7	1493	95.5	0.88	7.0	0.7	2.0	11620
YKK630-4	2800	192.2	1493	95.6	0.88	7.0	0.7	2.0	12100
YKK630-4	3150	216.0	1493	95.7	0.88	7.0	0.7	2.0	12800
YKK630-4	3550	243.1	1493	95.8	0.88	7.0	0.7	2.0	13260
YKK355-6	200	16.1	990	91.0	0.79	6.0	0.7	2.0	2600
YKK355-6	220	17.6	990	91.2	0.79	6.0	0.7	2.0	2650
YKK355-6	250	20.0	989	91.4	0.79	6.0	0.7	2.0	2750
YKK355-6	280	22.3	989	91.7	0.79	6.0	0.7	2.0	2800
YKK400-6	315	24.4	990	92.0	0.81	6.0	0.7	2.0	3350
YKK400-6	355	27.4	990	92.2	0.81	6.0	0.7	2.0	3450
YKK400-6	400	30.9	990	92.4	0.81	6.0	0.7	2.0	3550
YKK400-6	450	34.6	990	92.6	0.81	6.0	0.7	2.0	3640
YKK450-6	500	37.9	992	93.0	0.82	6.0	0.7	2.0	4150
YKK450-6	560	42.3	991	93.3	0.82	6.0	0.7	2.0	4300
YKK450-6	630	47.4	991	93.6	0.82	6.0	0.7	2.0	4500
VKK450-6	710	53.3	991	93.8	0.82	6.0	0.7	2.0	4700
YKK500-6	800	58.5	992	94.0	0.84	6.0	0.7	2.0	5600
YKK500-6	900	65.7	992	94.2	0.84	6.0	0.7	2.0	5800
YKK500-6	1000	72.8	992	94.4	0.84	6.0	0.7	2.0	6200
YKK500-6	1120	81.4	992	94.6	0.84	6.0	0.7	2.0	6400
YKK560-6	1250	88.6	993	94.7	0.86	6.0	0.7	2.0	8320
YKK560-6	1400	98.8	993	95.1	0.86	6.0	0.7	2.0	8570
YKK560-6	1600	112.8	993	95.2	0.86	6.0	0.7	2.0	9050
YKK560-6	1800	126.8	993	95.3	0.86	6.0	0.7	2.0	9290
YKK630-6	2000	140.7	994	95.4	0.86	6.0	0.7	2.0	11620
YKK630-6	2240	157.6	994	95.4	0.86	6.0	0.7	2.0	12080
YKK630-6	2500	175.7	994	95.5	0.86	6.0	0.7	2.0	12740
YKK630-6	2800	196.6	994	95.6	0.86	6.0	0.7	2.0	13190
YKK400-8	250	20.5	741	91.3	0.77	6.0	0.7	2.0	3300
YKK400-8	280	22.9	740	91.6	0.77	6.0	0.7	2.0	3400
YKK400-8	315	25.7	741	92.0	0.77	6.0	0.7	2.0	3510
YKK400-8	355	28.8	741	92.4	0.77	6.0	0.7	2.0	3620
YKK450-8	400	32.0	742	92.5	0.78	6.0	0.7	2.0	4250
YKK450-8	450	35.9	743	92.7	0.78	6.0	0.7	2.0	4350
YKK450-8	500	39.8	743	93.1	0.78	6.0	0.7	2.0	4600
YKK450-8	560	44.4	743	93.3	0.78	6.0	0.7	2.0	4800
YKK500-8	630	47.9	743	93.8	0.81	6.0	0.7	2.0	5700
YKK500-8	710	53.8	743	94.0	0.81	6.0	0.7	2.0	5875
YKK500-8	800	60.5	743	94.2	0.81	6.0	0.7	2.0	6155
YKK500-8	900	68.0	743	94.3	0.81	6.0	0.7	2.0	6410
YKK560-8	1000	74.5	744	94.5	0.82	6.5	0.7	2.0	8320
YKK560-8	1120	83.3	744	94.7	0.82	6.5	0.7	2.0	8640
YKK560-8	1250	92.8	744	94.8	0.82	6.5	0.7	2.0	9020
YKK560-8	1400	103.9	744	94.9	0.82	6.5	0.7	2.0	9260
YKK630-8	1600	117.3	745	94.9	0.83	6.5	0.7	2.0	10860
YKK630-8	1800	131.8	745	95.0	0.83	6.5	0.7	2.0	11820
YKK630-8	2000	146.3	745	95.1	0.83	6.5	0.7	2.0	12650
YKK630-8	2240	163.7	745	95.2	0.83	6.5	0.7	2.0	13065
YKK400-10	200	17.6	593	90.9	0.72	6.0	0.7	2.0	3425
YKK400-10	220	18.9	593	91.0	0.74	6.0	0.7	2.0	3485

YKK400-10	250	21.4	592	91.2	0.74	6.0	0.7	2.0	3545
YKK400-10	280	23.9	592	91.5	0.74	6.0	0.7	2.0	3665
YKK450-10	315	26.4	593	91.7	0.75	6.0	0.7	2.0	4300
YKK450-10	355	29.7	593	92.1	0.75	6.0	0.7	2.0	4400
YKK450-10	400	33.4	593	92.3	0.75	6.0	0.7	2.0	4600
YKK450-10	450	37.4	593	92.5	0.75	6.0	0.7	2.0	4800
YKK500-10	500	40.4	594	92.7	0.77	6.0	0.7	2.0	5615
YKK500-10	560	45.2	593	92.9	0.77	6.0	0.7	2.0	5790
YKK500-10	630	50.7	593	93.1	0.77	6.0	0.7	2.0	6070
YKK500-10	710	57.1	593	93.3	0.77	6.0	0.7	2.0	6325
YKK560-10	800	63.1	595	93.8	0.78	6.0	0.7	2.0	8300
YKK560-10	900	70.9	595	94.0	0.78	6.0	0.7	2.0	8540
YKK560-10	1000	78.7	594	94.1	0.78	6.0	0.7	2.0	9005
YKK560-10	1120	88.0	594	94.2	0.78	6.0	0.7	2.0	9245
YKK630-10	1250	95.8	595	94.2	0.80	6.0	0.7	2.0	10870
YKK630-10	1400	107.1	595	94.3	0.80	6.0	0.7	2.0	11840
YKK630-10	1600	122.3	595	94.4	0.80	6.0	0.7	2.0	12510
YKK630-10	1800	137.5	595	94.5	0.80	6.0	0.7	2.0	12925
YKK450-12	250	22.6	494	91.1	0.70	5.5	0.7	1.8	4450
YKK450-12	280	25.3	494	91.3	0.70	5.5	0.7	1.8	4550
YKK450-12	315	28.4	493	91.5	0.70	5.5	0.7	1.8	4700
YKK450-12	355	31.9	493	91.8	0.70	5.5	0.7	1.8	4795
YKK500-12	400	34.9	494	92.0	0.72	5.5	0.7	1.8	5670
YKK500-12	450	39.1	494	92.2	0.72	5.5	0.7	1.8	5850
YKK500-12	500	43.3	494	92.5	0.72	5.5	0.7	1.8	6115
YKK500-12	560	48.3	493	92.9	0.72	5.5	0.7	1.8	6380
YKK560-12	630	52.8	494	93.1	0.74	5.5	0.7	1.8	8275
YKK560-12	710	59.4	494	93.3	0.74	5.5	0.7	1.8	8635
YKK560-12	800	66.5	495	93.8	0.74	5.5	0.7	1.8	9100
YKK560-12	900	74.9	494	93.8	0.74	5.5	0.7	1.8	9340
YKK630-12	1000	83.2	496	93.8	0.74	5.5	0.7	1.8	10860
YKK630-12	1120	91.8	495	93.9	0.75	5.5	0.7	1.8	11845
YKK630-12	1250	102.4	495	94.0	0.75	5.5	0.7	1.8	12490
YKK630-12	1400	114.5	495	94.1	0.75	5.5	0.7	1.8	12910

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +375-257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: agy@nt-rt.ru || сайт: <https://laeg.nt-rt.ru>